

2020 TS SPOT

Suitable for Tamlite TRIO 3-circuit track system

LED track spotlight for retail and display areas

High output LED module with integral driver



















2020 TS SPOT

HIGH OUTPUT LED SPOTLIGHT













FEATURES

- > LED track spotlight for retail and display areas
- > High output LED module with integral driver
- > Suitable for Tamlite TRIO 3-circuit track system
- > 24° beam angle as standard with 45° wide beam option
- > CRI: Ra>80
- > Up to 91 lumens per Watt efficacy
- > 50,000 hours lifetime (L70/B50)

CONSTRUCTION

- > Die-cast aluminium body finished in white (RAL 9010)
- > Supplied as standard with neutral white (4000K) LED

TO SPECIFY ORDER

LED Track spot as per Tamlite 2020 range

INSTALLATION NOTES

Fitted to Tamlite 230V 3-circuit (TRIO) mains track system with mechanical/electrical adapter

OPTIONS

/WW Warm White (3000K)

/B Black

HIGH OUTPUT LED SPOTLIGHT

Order Code	Description	lm	W	lm/W	A (mm)	B (mm)	C (mm)	kg
TS390NW	43W - 4000K	3900	43	91	161	170	210	1.80



LED TRACK SPOTLIGHT FOR RETAIL AND DISPLAY AREAS



BLACK



































Tamlite Field Sales Centre, Park Farm Industrial Estate, Redditch, Worcestershire, B98 0HU

T. +44 1527 517 777 E. sales@tamlite.co.uk W. tamlite.co.uk





