




# CHURCHILL



Antique style LED post top lantern for pedestrianized areas or footpaths

Also available with Photocell

Windage = 0.10m<sup>2</sup>



LIAQA AWARD  
WINNER 2017



Lighting for  
**a Living**

# CHURCHILL

## ANTIQUE STYLE LED POST TOP LANTERN



5 YR

IP66



5000K

4000K

3000K

### FEATURES

- > Antique style LED post top lantern for pedestrianized areas or footpaths
- > Also available with Photocell
- > Windage = 0.10m<sup>2</sup>
- > Wide range of column or wall mount brackets available
- > CRI: Ra>80
- > Up to 91 lumens per Watt efficacy
- > 50,000 hours lifetime (L70/B50)

### CONSTRUCTION

- > Polycarbonate body finished in black (RAL 9005)
- > Vertical mounting on 60mm dia. spigot
- > Clear PMMA lens
- > Integral driver
- > Supplied as standard with cool white (5000K)

### TO SPECIFY ORDER


LED Post-top lantern as per TamLite Churchill LED range

### INSTALLATION NOTES

Post top mount onto column via 60mm dia spigot and wired to 3 pole terminal block

### OPTIONS

- /PC Photocell
- /WW Warm white (3000K)
- /NW Neutral white (4000K)



## ANTIQUE STYLE LED POST TOP LANTERN

Order Code	Description	lm	W	lm/W	B (mm)	C (mm)	kg
DL320CW	35W - 5000K	3200	35	91	375	670	5.20



ANTIQUE STYLE LED POST TOP LANTERN FOR  
PEDESTRIANIZED AREAS OR FOOTPATHS



# Contact Us

## Sales Centre

Tamlite Field Sales Centre,  
Park Farm Industrial Estate,  
Redditch, Worcestershire,  
B98 0HU

T. +44 1527 517 777  
E. [sales@tamlite.co.uk](mailto:sales@tamlite.co.uk)  
W. [tamlite.co.uk](http://tamlite.co.uk)

