




TWINSPOT

High quality LED heads eliminate the need for replacement

LED Twinspot with high output LED heads

Ideal for interior/exterior applications



LIAQA AWARD
WINNER 2017



Lighting for
a Living

TWINSPOT

LED TWINSPOT

3 YR

IP20



7000K

FEATURES

- > LED Twinspot with high output LED heads
- > Ideal for interior/exterior applications
- > High quality LED heads eliminate the need for replacement
- > IP65 Weatherproof version available
- > 3 hours rated
- > 30,000 hours lifetime (L70/B50)

CONSTRUCTION


- > (TPLEDNM3) Steel body finished in white (RAL 9016)
- > (WPTPLEDNM3) Polycarbonate body finished in grey (RAL 7035)
- > Integral driver
- > Supplied as standard with daylight (7000K) LED

TO SPECIFY ORDER

LED Weatherproof emergency twinspot as per Tam-lite WP LED

INSTALLATION NOTES

Wall fix via rear-mounted fixing and cable entry



LED TWINSPOT

Order Code	Description	lm	W	lm/W	A (mm)	B (mm)	C (mm)	kg
TPLEDNM3	30W - 7000K Maintained	-	30	-	370	330	75	5.40
WPTPLEDNM3	30W - 7000K Non - maintained	-	30	-	345	400	135	5.90



IDEAL FOR INTERIOR/EXTERIOR APPLICATIONS

WP TWINSPOOT



Contact Us

Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. +44 1527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

