

ALPHA



High output LED high bay, ideal for production and warehouse areas

Available in 3 sizes and 4 outputs

Microwave with corridor function option available



Lighting for
a Living

ALPHA



- High output LED high bay, ideal for production and warehouse areas
- Available in 3 sizes and 4 outputs
- Microwave with corridor function option available
- CRI: Ra>80
- Up to 146 lumens per Watt efficacy
- 50,000 hours lifetime (L70/B50)



5 YR

IP65

IK08


High output LED high bay

Order Code	Description	lm	W	lm/W	kg
ALP1460WNW	100W - 4000K	14600	100	146	2.64
ALP1900WNW	150W - 4000K	19000	150	127	3.10
ALP2610WNW	200W - 4000K	26100	200	131	4.50
ALP3130WNW	240W - 4000K	31300	240	130	4.54

Dimensions

Order Code	Dia. (mm)	C (mm)
ALP1460WNW	270	160
ALP1900WNW	300	180
ALP2610WNW	330	180
ALP3130WNW	330	180

Microwave Sensor



CONSTRUCTION

- Die-cast aluminium housing with integral driver
- Available in Black (RAL 9005)
- Separate stirrup mounting bracket available
- Integral driver
- Supplied as standard with neutral white (4000K) LED

OPTIONS


MDCF Microwave sensor + corridor function

INSTALLATION NOTES

Suspended via hook (supplied) and supplied with 1.5m of 3-core black mains flex

TO SPECIFY

LED High bay as per TamLite ALPHA range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for a **Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics