

CITY PT



Modern, stylish post-top lantern for city beautification projects

Wide range of outputs up to 16,700 lumens

Supplied with symmetric optic for open area use



Lighting for
a Living

CITY PT



- Modern, stylish post-top lantern for city beautification projects
- Wide range of outputs up to 16,700 lumens
- Supplied with symmetric optic for open area use
- Photocell options available
- CRI: Ra>80
- Up to 129 lumens per Watt efficacy
- 84,000 hours lifetime (L80/B20)

5 YR

IP65




IK09

Modern post top lantern

Order Code	Description	lm	W	lm/W	kg
CPTT4630NWG	49W - 4000K - Grey	6300	49	129	8.90
CPTT4870NWG	74W - 4000K - Grey	8700	74	118	9.90
CPTT41670NWG	149W - 4000K - Grey	16700	149	112	10.20
CPTT4630NWB	49W - 4000K - Black	6300	49	129	8.90
CPTT4870NWB	74W - 4000K - Black	8700	74	118	9.90
CPTT41670NWB	149W - 4000K - Black	16700	149	112	10.20

Dimensions

Order Code	C (mm)	Dia.
CPTT4630NWG	168	460
CPTT4870NWG	168	460
CPTT41670NWG	168	460
CPTT4630NWB	168	460
CPTT4870NWB	168	460
CPTT41670NWB	168	460



Black Option



CONSTRUCTION

- Polycarbonate micro optic with glass cover
- Available in grey (RAL 9006) or black (RAL 9005)
- Supplied as standard with neutral white (4000K) LED

OPTIONS


PC	Photocell
WW	Warm white (3000K)

INSTALLATION NOTES

Pole mounting via 76mm spigot entry and wired via 3 pole terminal block

TO SPECIFY

LED post top lantern as per TamLite CITY PT range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for **a Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics