EM SPOT




LED Batten self contained emergency
Virtually service free emergency lighting
Easy to install with simple connection wiring



Lighting for **a Living**

EM SPOT





- Virtually service free emergency lighting
 Easy to install with simple connection wiring
 High output 1W LED chip
 Suitable for open areas

- CRI: Ra>70
- Up to 120 lumens per Watt efficacy
- 50,000 hours lifetime (L80/B10)



Recessed sealed LED module

Order Code	Description	lm	W	lm/W	kg
EMS1W	1W - 4000K - Non maintained	120	1	0	0.25

Dimensions

Order Code	A (mm)	B (mm)	C (mm)	Cut Out
EMS1W	160	60	41	N/A





CONSTRUCTION

- Extruded aluminium body finished in white (RAL 9016)
- Integral driver
- Supplied as standard with neutral white (4000K) LED

OPTIONS


3 hours integrated emergency

INSTALLATION NOTES

Installation via the 20mm knockout at the end of the batten luminaire

TO SPECIFY

Batten-Fit 1W non-maintained emergency pack as per Tamlite EM SPOT range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre, Park Farm Industrial Estate, Redditch, Worcestershire, B98 0HU

T. 01527 517 777E. sales@tamlite.co.ukW. tamlite.co.uk

Over 50 years lighting for a Living

As a UK manufacturer we have one of the widest lighting ranges across:























Communal Education

n Em

Emergency

Healthcare

Industrial

Office

Retail & Leisure

Sports

Urban Warehouse & Logistics