

HYLITE

Recessed multi-spot LED gimbal for retail or accent areas

Available as single, twin or triple spot modules

Fully adjustable and rotatable spot heads






















HYLITE

RECESSED ADJUSTABLE MODULE WITH HIGH OUTPUT LED











FEATURES

- > Recessed multi-spot LED gimbal for retail or accent areas
- > Available as single, twin or triple spot modules
- > Fully adjustable and rotatable spot heads
- > Narrow beam reflector also available
- > Supplied as standard with White colour trim (RAL 9010)
- > Black (RAL 9005) or grey (RAL 9006) colour trim also available
- > CRI: Ra>80
- > Up to 104 lm/w efficacy
- > 50,000 hours lifetime (L80/B10)

CONSTRUCTION

- > Steel body
- > Remote driver
- > Supplied as standard with neutral white (4000K) LED

TO SPECIFY ORDER


Recessed multi-gimbal downlight as per Tamlite 'Hylite'


INSTALLATION NOTES


Recessed into plasterboard or exposed grid ceiling via side arm brackets


OPTIONS


/DALI DALI dimming control gear
/RM3 3 hours remote emergency
/NB Narrow beam 12°
/G Grey (RAL 9006)
/B Black (RAL 9005)















RECESSED ADJUSTABLE MODULE WITH HIGH OUTPUT LED

Order Code	LED	lm	W	lm/W	A (mm)	B (mm)	C (mm)	kg
HY270NWMBW	26W - 4000K	2700	26	104	195	195	164	2.1
HY540NWMBW	52W - 4000K	5400	52	104	348	195	164	4.0
HY810NWMBW	78W - 4000K	8100	78	104	501	195	164	5.9



RETAIL - IDEAL FOR ACCENT AND HIGH AMBIENT LIGHTING




SINGLE AND TWIN OPTION











Tamlite Field Sales Centre, Park Farm Industrial Estate, Redditch, Worcestershire, B98 0HU

T. +44 1527 517 777 E. sales@tamlite.co.uk W. tamlite.co.uk





