HYLITE



Available as single, twin, triple or quad spot modules


Multi-spot LED gimbal for retail or accent areas



Lighting for a Living

HYLITE





- Choice of medium or narrow beam reflectors
- Choice of black (RAL 9005) or grey (RAL 9006) colour trim
- CRI: Ra>80
- Up to 104 lumens per Watt efficacy
- 50,000 hours lifetime (L80/B10)
 Available in TamliteCRISP, TamliteWHITE and TamliteRED (see page 104)












Order Code	Description	lm	W	lm/W	kg
HY270NWMBW	Single 26W - 4000K	2700	26	104	2.10
HY540NWMBW	Double 52W - 4000K	5400	52	104	4.20
HY810NWMBW	Triple 78W - 4000K	8100	78	104	6.30
HY1080NWMBW	Quadruple 108W - 4000K	10800	108	100	7.50

Dimensions


Order Code	A (mm)	B (mm)	C (mm)	Cut Out (mm)
HY270NWMBW	195	195	164	170 X 170
HY540NWMBW	348	195	164	320 X 170
HY810NWMBW	501	195	164	475 X 170
HY1080NWMBW	348	348	164	320 X 320

















CONSTRUCTION

- Steel body finished in white (RAL
- Supplied as standard with neutral white (4000K) LED

OPTIONS


WW	Warm white (3000K)	
В	Black (RAL 9005)	
G	Grey (RAL 9006)	
NB	Narrow beam	

INSTALLATION NOTES

Recessed into plasterboard or exposed grid ceiling via side arm brackets.

TO SPECIFY

Recessed module as per Tamlite HYLITE



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre, Park Farm Industrial Estate, Redditch, Worcestershire, B98 0HU

T. 01527 517 777E. sales@tamlite.co.ukW. tamlite.co.uk

Over 50 years lighting for a Living

As a UK manufacturer we have one of the widest lighting ranges across:























Communal Education

n Em

Emergency

Healthcare

Industrial

Office

Retail & Leisure

Sports

Urban Warehouse & Logistics