LEDMAX



High output emergency bulkhead for large spaces with up to 20 metre mounting height

Easy to install with simple connection wiring

Single BESA entry



LEDMAX















Order Code	Description	lm	W	kg
LLH400M3	5W - 6500K	350	5	0.82

Dimensions

Order Code	A (mm)	B (mm)	C (mm)
LLH400M3	235	125	65





CONSTRUCTION

- Polycarbonate body
- 20mm conduit side cable entries for ceiling fix
- Supplied as standard with daylight (6500K) LED

OPTIONS


WB Wide beam

INSTALLATION NOTES

Wall or ceiling fix via rear-mounted fixing and cable entry

TO SPECIFY

Polycarbonate IP65 emergency bulkhead as per Tamlite LEDMAX



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre, Park Farm Industrial Estate, Redditch, Worcestershire, B98 0HU

T. 01527 517 777E. sales@tamlite.co.ukW. tamlite.co.uk

Over 50 years lighting for a Living

As a UK manufacturer we have one of the widest lighting ranges across:























Communal Education

n Em

Emergency

Healthcare

Industrial

Office

Retail & Leisure

Sports

Urban Warehouse & Logistics