

LEDMAX



High output emergency bulkhead for large spaces with up to 20 metre mounting height

Easy to install with simple connection wiring

Single BESA entry



Lighting for
a Living

LEDMAX



- High output emergency bulkhead for large spaces with up to 20 metre mounting height
- Easy to install with simple connection wiring
- Single BESA entry
- 35,000 hours lifetime (L70/B50)

5 YR

IP65




High output emergency bulkhead

Order Code	Description	lm	W	kg
LLH400M3	5W - 6500K	350	5	0.82

Dimensions

Order Code	A (mm)	B (mm)	C (mm)
LLH400M3	235	125	65



CONSTRUCTION

- Polycarbonate body
- 20mm conduit side cable entries for ceiling fix
- Supplied as standard with daylight (6500K) LED

OPTIONS


WB Wide beam

INSTALLATION NOTES

Wall or ceiling fix via rear-mounted fixing and cable entry

TO SPECIFY

Polycarbonate IP65 emergency bulkhead as per Tam-lite LEDMAX range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for **a Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics