

MERIDIAN



High output performance with class II rating

Integral emergency and motion sensor options

Trims sold separately, available in polished brass and polished chrome



Lighting for
a Living

MERIDIAN



- High output performance with class II rating
- Integral emergency and motion sensor options
- Trims sold separately, available in polished brass and polished chrome
- CRI: Ra>80
- Up to 100 lumens per Watt efficacy
- 50,000 hours lifetime (L80/B10)



5 YR

IP54



TP(b)

Slimline circular LED bulkhead

Order Code	Description	lm	W	lm/W	kg
MERC180NW	18W - 4000K	1800	18	100	1.15

MERTPC Chrome Trim




MERTPB Brass Trim



MERIDIAN PIR Remote

Order Code	Description
MERCRCR	PIR REMOTE FOR MERIDIAN



Dimensions

Order Code	Dia. (mm)	C (mm)
MERC180NW	300	48

CONSTRUCTION

- Polycarbonate body finished in white (RAL 9016)
- Opal diffuser
- Integral driver
- Supplied as standard with neutral white (4000K) LED

OPTIONS


MS	Microwave movement sensor
M3	3 hours integrated emergency

INSTALLATION NOTES

Surface fix via mounting bracket with 3 core termination block on rear side cable entry

TO SPECIFY

Circular slimline LED bulkhead as per TamLite MERIDIAN



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for a Living

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics