

OLYMPIAN



Circular suspended pendant

Ideal for large atriums, entrances and retail spaces

Available in 3 sizes (400mm, 500mm & 600mm dia.)



Lighting for
a Living

OLYMPIAN



- Ideal for large atriums, entrances and retail spaces
- Available in 3 sizes (300mm, 500mm & 600mm dia.)
- Opal diffuser for smooth light distribution
- Full range of gear options including DALI
- CRI: Ra>80
- Up to 80 lumens per watt efficacy
- 50,000 hours lifetime

5 YR

IP40




Circular suspended pendant

Order Code	Description	lm	W	lm/W	kg
OLY160NW	22W - 4000K	1600	22	73	2.61
OLY290NW	38W - 4000K	2900	38	76	2.85
OLY380NW	45W - 4000K	3600	45	80	3.05

Dimensions

Order Code	C (mm)	Dia.
OLY160NW	12	300
OLY290NW	12	500
OLY380NW	12	600



CONSTRUCTION

- Die-cast aluminium body finished in white (RAL 9016)
- Steel ceiling plate (200mm dia.) with wire suspensions (850mm)
- Supplied as standard with neutral white (4000K) LED

OPTIONS


D DALI dimming control gear

INSTALLATION NOTES

Suspended via 0.85m wire to ceiling fixing bracket with 0.85m white cable

TO SPECIFY

High output downlight as per TamLite OLYMPIAN range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for a **Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics