




P L A Z A

Easy clip-on design for quick install and maintenance

Suitable for pedestrian zones and car parking areas

High performance LED post top lantern



LIAQA AWARD
WINNER 2017



Lighting for
a Living

PLAZA

RECESSED ADJUSTABLE MODULE WITH HIGH OUTPUT LED



5 YR

IP66



FEATURES

- > High performance LED post top lantern
- > Choice of 3 different distributions
- > Optional photocell control
- > Suitable for pedestrian zones and car parking areas
- > High impact (IK09) housing with clear lens
- > Easy clip-on design for quick installation and maintenance
- > High efficacy up to 95 lm/W
- > 5 years warranty
- > 50,000 hours lifetime

OPTIONS

- /WW Warm white (3000K)
- /DL Daylight white (6500K)
- /PC Photocell
- /RW Roadway distribution
- /DALI DALI dimming control gear

CONSTRUCTION


- > Die-cast aluminium body
- > Clear polycarbonate diffuser
- > Integral driver

TO SPECIFY ORDER

High output LED post-top lantern as per TamLite 'Plaza'

INSTALLATION NOTES

Pole mounting via 76mm spigot entry and wired via 3 pole termination block



RECESSED ADJUSTABLE MODULE WITH HIGH OUTPUT LED

Order Code	LED	lm	W	lm/W	C (mm)	Dia (mm)	kg
PLX380NW	37W - 4000K	3500	37	95	10.2	511	496
PLX560NW	55W - 4000K	5200	55	95	10.2	511	496
PLX730NW	83W - 4000K	6800	83	82	10.2	511	496



SUITABLE FOR PEDESTRIAN ZONES
AND CAR PARKING AREAS



Contact Us

Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. +44 1527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

