# **PLAZA**



Easy clip-on design for quick install and maintenance

Suitable for pedestrian zones and car parking areas

High performance LED post top lantern



Lighting for a Living

## **PLAZA**





- Suitable for pedestrian zones and car parking areas
  Easy clip-on design for quick install and maintenance
  Choice of 2 different distributions

- Optional photocell control
- CRI: Ra>80
- Up to 95 lumens per Watt efficacy50,000 hours lifetime (L70/B50)










Order Code	Description	lm	W	lm/W	kg
PLX380NW	37W - 4000K	3500	37	95	10.20
PLX560NW	55W - 4000K	5200	55	95	10.20
PLX730NW	83W - 4000K	6800	83	82	10.20

#### **Dimensions**

Order Code	Dia. (mm)	C (mm)
PLX380NW	496	511
PLX560NW	496	511
PLX730NW	496	511





#### CONSTRUCTION

- Die-cast aluminium body finished in grey (RAL 9006)
- Clear polycarbonate diffuser
- High impact (IK09) housing with clear
- Supplied as standard with neutral white (4000K) LED

#### **OPTIONS**


PC	Photocell
RW	Roadway distribution
D	DALI dimming control gear
WW	Warm white (3000K)
DL	Davlight white (6500K)

#### **INSTALLATION NOTES**

Pole mounting via 76mm spigot entry and wired via 3 pole terminal block

#### TO SPECIFY

Post top lantern as per Tamlite PLAZA



Lighting for a Living

### Tamlite Lighting Sales Centre

Tamlite Field Sales Centre, Park Farm Industrial Estate, Redditch, Worcestershire, B98 0HU

T. 01527 517 777E. sales@tamlite.co.ukW. tamlite.co.uk

### Over 50 years lighting for a Living

As a UK manufacturer we have one of the widest lighting ranges across:























Communal Education

n Em

Emergency

Healthcare

Industrial

Office

Retail & Leisure

Sports

Urban Warehouse & Logistics