STADIA-BL



Ideal for sports or large area lighting

Custom Optics for Asymmetric distribution


Backlight cowl to reduce light spill




STADIA-BL







- Backlight cowl to reduce light spill Gear options including DALI available
- Up to 113 lumens per Watt efficacy 50,000 hours lifetime (L80/B10)









	Order Code	Description	lm	W	lm/W	kg
	STB320NBNW	300W - 4000K	32000	300	107	9.90
	STB510NBNW	450W - 4000K	48000	450	107	19.20
	STB670NBNW	600W - 4000K	64000	600	107	21.65

Dimensions

Order Code	A (mm)	B (mm)	C (mm)
STB320NBNW	571	322	94
STB510NBNW	621	601	104
STB670NBNW	621	601	104





CONSTRUCTION

- Die-cast aluminium bodySupplied as standard with neutral white (4000K) LED

OPTIONS


DALI dimming control gear Medium beam

INSTALLATION NOTES

Fixed via stirrup bracket and wired via rear cable entry, multiple bracketry is available for wall and column mount.

TO SPECIFY

High performance floodlight, as per Tamlite STADIA range



Lighting for a Living



Tamlite Lighting Sales Centre

Tamlite Field Sales Centre, Park Farm Industrial Estate, Redditch, Worcestershire, B98 0HU

T. 01527 517 777E. sales@tamlite.co.ukW. tamlite.co.uk

Over 50 years lighting for a Living

As a UK manufacturer we have one of the widest lighting ranges across:























Communal Education

n Em

Emergency

Healthcare

Industrial

Office

Retail & Leisure

Sports

Urban Warehouse & Logistics