

TBX NB



Tri-colour easy switch technology from cool white or neutral white or warm white

Available in standard or high outputs in 1500 and 1800mm models

Narrow beam optic for racking aisle areas



Lighting for
a Living

TBX NB



- Narrow beam optic suitable for racking aisle areas
- Dimmable, DALI and emergency available
- Tri-colour easy switch technology from cool white (5000K) or neutral white (4000K) or warm white (3000K)
- CRI: Ra>80
- Up to 129 lumens per Watt efficacy
- 50,000 hours lifetime (L70/B50)




Narrow beam tri-colour batten

Order Code	Description	lm	W	lm/W	kg
TBXNB528TRI	28W - TRI-COLOUR	3200	28	114	1.40
TBXNB631TRI	31W - TRI-COLOUR	4000	31	129	1.70
TBXNB556TRI	56W - TRI-COLOUR	6500	56	116	1.60
TBXNB662TRI	62W - TRI-COLOUR	7200	62	116	1.90
TBXNB673TRI	73W - TRI-COLOUR	8400	73	115	1.90

Dimensions

Order Code	A (mm)	B (mm)	C (mm)
TBXNB528TRI	1500	120	60
TBXNB631TRI	1800	120	60
TBXNB556TRI	1500	120	60
TBXNB662TRI	1800	120	60
TBXNB673TRI	1800	120	60



CONSTRUCTION

- Extruded aluminium finished in white (RAL 9010)
- Polycarbonate extruded diffuser
- Polycarbonate end caps

OPTIONS


M3	3 hours integrated emergency
A3	Auto self test
D3	DALI self test
V205	Batten-fit PIR
V206	Batten-fit PIR and photocell
V207	Batten-fit with daylight dimming
D	DALI dimming control gear

INSTALLATION NOTES

Surface mount via rear entry BESA fixings

TO SPECIFY

Narrow beam Batten as per TamLite TBX NB range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for a **Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics