







# T B X

Suitable for general use in industrial or commercial applications

Ideal for retro-fit of existing T8 & T5 fixtures

Switchable Tri-colour solution



LIAQA AWARD  
WINNER 2017



Lighting for  
**a Living**

# TBX

## WIDE BEAM LED BATTEN



5 YR

IP20



3000K

4000K

5000K

### FEATURES

- > Ideal for retro-fit of existing T8 & T5 fixtures
- > Suitable for general use in industrial or commercial applications
- > Switchable Tri-colour solution - warm white (3000K), neutral white (4000K) and cool white (5000K)
- > CRI: Ra>80
- > Up to 130 lumens per Watt efficacy
- > 50,000 hours lifetime (L70/B50)

### CONSTRUCTION

- > Steel body finished in White (RAL 9010)
- > Polycarbonate extruded diffuser
- > Polycarbonate end caps
- > Integral driver

### TO SPECIFY ORDER

Compact LED Batten as per TamLite TBX range

### INSTALLATION NOTES

Surface mount via rear entry BESA fixings or suspended via 3.0 metre wire suspension kit

### OPTIONS

- /HFR** High frequency analogue dimming
- /HFD** Digital dimmable version
- /DALI** DALI dimming control gear
- /M3** 3 hours integrated emergency
- /AST** Emergency self test




## WIDE BEAM LED BATTEN

| Order Code   | Description                | lm   | W  | lm/W | A (mm) | B (mm) | C (mm) | kg   |
|--------------|----------------------------|------|----|------|--------|--------|--------|------|
| TBX210TRI    | Tri-Colour                 | 1300 | 10 | 130  | 600    | 55     | 58     | 0.68 |
| TBX210TRIPIR | Tri-Colour with PIR Sensor | 1300 | 10 | 130  | 600    | 55     | 58     | 0.68 |
| TBX417TRI    | Tri-Colour                 | 2200 | 17 | 130  | 1200   | 55     | 58     | 1.14 |
| TBX417TRIPIR | Tri-Colour with PIR Sensor | 2200 | 17 | 130  | 1200   | 55     | 58     | 1.14 |
| TBX528TRI    | Tri-Colour                 | 3500 | 28 | 125  | 1500   | 55     | 58     | 1.39 |
| TBX528TRIPIR | Tri-Colour with PIR Sensor | 3500 | 28 | 125  | 1500   | 55     | 58     | 1.39 |
| TBX631TRI    | Tri-Colour                 | 3800 | 31 | 123  | 1800   | 55     | 58     | 1.63 |
| TBX631TRIPIR | Tri-Colour with PIR Sensor | 3800 | 31 | 123  | 1800   | 55     | 58     | 1.63 |
| TBX556TRI    | Tri-Colour                 | 6200 | 56 | 111  | 1500   | 55     | 58     | 1.58 |
| TBX556TRIPIR | Tri-Colour with PIR Sensor | 6200 | 56 | 111  | 1500   | 55     | 58     | 1.58 |
| TBX662TRI    | Tri-Colour                 | 7400 | 62 | 119  | 1800   | 55     | 58     | 1.86 |
| TBX662TRIPIR | Tri-Colour with PIR Sensor | 7400 | 62 | 119  | 1800   | 55     | 58     | 1.86 |



INDUSTRIAL OR COMMERCIAL - IDEAL FOR  
RETRO-FIT OF EXISTING T8 & T5 FIXTURES



# Contact Us

## Sales Centre

Tamlite Field Sales Centre,  
Park Farm Industrial Estate,  
Redditch, Worcestershire,  
B98 0HU

T. +44 1527 517 777  
E. [sales@tamlite.co.uk](mailto:sales@tamlite.co.uk)  
W. [tamlite.co.uk](http://tamlite.co.uk)

