

TC LIGHTING COLUMNS



LUX
Manufacturer
of the Year 2018

Hot dipped galvanised to BSEN 150 1461:2009

Traditional tubular style with semi-flush door

Wide range of brackets and spigots available



Lighting for
a Living

TC LIGHTING COLUMNS



- Hot dipped galvanised to BSEN 150 1461:2009
- Traditional tubular style with semi-flush door
- Wide range of brackets and spigots available

5 YR

Light duty steel lighting columns

Order Code	Mounting Height (m)	Planting Depth (mm)	Shaft O/D (mm)	Base O/D (mm)	kg
TC3M	3	600	76	140	29.0
TC4M	4	800	76	140	36.0
TC5M	5	800	76	140	41.0
TC6M	6	1000	76	140	48.0
TC8M	8	1200	89	168	85.0

Heavy duty steel lighting columns

Order Code	Mounting Height (m)	Planting Depth (mm)	Shaft O/D (mm)	Base O/D (mm)	kg
TC6MHD	6	1200	89	168	68.0
TC8MHD	8	1200	114	168	100

CONSTRUCTION

- Mild galvanised steel
- Designed to BS5649 series 1300
- Root section externally bitumen coated

OPTIONS

FP Flange plate. Please contact Tam-lite Technical for full details

Note: Wind speed and environmental conditions vary greatly across the British Isles. It is therefore vital to consult with Tam-lite Technical to obtain correct advice on column selection (Light, medium or heavy duty steel)

INSTALLATION NOTES

Root mounted to planting depth shown

TO SPECIFY

Steel lighting column as per Tam-lite TC range

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for **a Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics