

XTREME



Supplied with TAMTEC LED modules

IP65 LED weatherproof fixture

Impact resistant construction



Lighting for
a Living

XTREME



- Suitable for internal or external industrial areas
- Moisture-proof and dust-resistant IP65 fixture
- Impact resistant construction
- Full range of gear options including DALI and emergency
- CRI: Ra>80
- Up to 132 lumens per Watt efficacy
- 50,000 hours lifetime (L70/B50)

5 YR

IP65




IP65 weatherproof, polycarbonate luminaire

Order Code	Description	lm	W	lm/W	kg
EWPL1430NW	23W - 4000K	3000	23	130	2.20
EWPL1537NW	28W - 4000K	3700	28	132	2.60
EWPL2460NW	46W - 4000K	6000	46	130	2.90
EWPL1560NW	51W - 4000K	6000	51	118	2.60
EWPL2574NW	57W - 4000K	7400	57	130	3.55
EWPL25100NW	91W - 4000K	10000	91	110	3.55

Dimensions

Order Code	A (mm)	B (mm)	C (mm)
EWPL1430NW	1268	100	101
EWPL1537NW	1568	100	101
EWPL1560NW	1268	158	101
EWPL2460NW	1568	100	101
EWPL2574NW	1568	158	101
EWPL25100NW	1568	158	101



Vision Control: V205, V206, V208



CONSTRUCTION

- Grey polycarbonate body
- Supplied with opal diffuser
- Stainless steel fixing clips
- Supplied as standard with neutral white (4000K) LED

OPTIONS


M3	3 hours integrated emergency
A3	Auto self test
D3	DALI self test
V205	Batten-fit PIR
V206	Batten-fit PIR and photocell
V208	Batten-fit with daylight dimming
HFS	Microwave movement sensor
HFSD	Dimmable microwave movement sensor
D	DALI dimming control gear

INSTALLATION NOTES

Ceiling fix via suspension points or ceiling mount brackets

TO SPECIFY

Weatherproof Luminaire as per Tam-lite XTREME range



Lighting for a Living

Tamlite Lighting Sales Centre

Tamlite Field Sales Centre,
Park Farm Industrial Estate,
Redditch, Worcestershire,
B98 0HU

T. 01527 517 777
E. sales@tamlite.co.uk
W. tamlite.co.uk

Over 50 years lighting for **a Living**

As a UK manufacturer we have one of the widest lighting ranges across:



Communal



Education



Emergency



Healthcare



Industrial



Office



Retail
& Leisure



Sports



Urban



Warehouse
& Logistics