Technical
Stafford Park 12
Telford, Shropshire,
TF3 3BJ

T: +44 (0)1952 292441
E: sales@xciteledlighting.co.uk
W: www.xciteledlighting.co.uk

Technical
Stafford Park 12
Telford, Shropshire,
TF3 3BJ

T: +44 (0)1952 292441
E: sales@xciteledlighting.co.uk
W: www.xciteledlighting.co.uk

Order Code: XCB-IMS

IMS Module for X1 Bulkhead



Features

- Compatible with X1 Bulkhead, X1 WP Bulkhead C and X1 WP Bulkhead S
- Provides sensor-based control for energy efficiency


Construction


- For additional control, please use X1 Bulkhead Remote [SoldSeparately]
- The default settings are:
  Sensitivity: set to 100% [Maximum]
  Hold Time: set to 10 minutes
  Standby Time: set to 30 seconds
  Daylight Threshold = Disabled

Dimensions

Length (mm)	45
Width (mm)	24
Depth (mm)	13

Line Drawing





Technical
Stafford Park 12
Telford, Shropshire,
TF3 3BJ

T: +44 (0)1952 292441
E: sales@xciteledlighting.co.uk
W: www.xciteledlighting.co.uk

Technical
Stafford Park 12
Telford, Shropshire,
TF3 3BJ

T: +44 (0)1952 292441
E: sales@xciteledlighting.co.uk
W: www.xciteledlighting.co.uk